CONTENTS OF VOLUME 42

No. 1 (pp 1–186) published October 1994
No. 2–3 (pp 187–498) published November 1994
No. 4 (pp 499–652) published December 1994
No. 5 (pp 653–812) published January 1995
No. 6 (pp 813–972) published March 1995

Andlid T, Larsson C, Liljenberg C, Marison I, Gustafsson L: Enthalpy content as a function of lipid accumulation in *Rhodotorula glutinis* 818

Andreoni V, Bernasconi S, Bestetti G: Biotransformation of ferulic acid and related compounds by mutant strains of *Pseudomonas fluorescens* 830

Bao W, Lymar E, Renganathan V: Optimization of cellobiose dehydrogenase and β-glucosidase production by cellulose-degrading cultures of *Phanerochaete chrysosporium* 642

Barclay CD, Farquhar GF, Legge RL: Biodegradation and sorption of polyaromatic hydrocarbons by *Phanerochaete chrysosporium* 958

Bauer R, Hirrlinger B, Layh N, Stolz A, Knackmuss H-J: Enantioselective hydrolysis of racemic 2-phenylpropionitrile and other *(R,S)-2-arylpropionitriles* by a new bacterial isolate, *Agrobacterium tumefaciens* strain d3 1

Bayer M, Günther H, Simon H: Purification and characterization of an (S)-3-hydroxycarboxylate oxidoreductase from *Clostridium tyrobutyricum* 40

Bayer M, Schulz M, Günther H, Simon H: Synthesis of *(S)*- and *(R)-3-hydroxy* acids using cells or purified *(S)-3-hydroxycarboxylate* oxidoreductase from *Clostridium tyrobutyricum* and the NADP(H) regeneration system of *Clostridium thermoaceticum* 543

Bengtsson L, Johansson B, Hackett TJ, McHale L, McHale AP: Studies on the biosorption of uranium by *Talaromyces emersonii CBS* 814.70 biomass 807

Benthin S, Villadsen J: Production of optically pure D-lactate by *Lactobacillus bulgaricus* and purification by crystallisation and liquid/liquid extraction 826

Biesterveld S, Scholten JCM, Zehnder AJB, Stams AJM: Influence of external electron acceptors and of CO and H_2 on the xylose metabolism of *Bacteroides xylanolyticus* X5-1 367

Blondeaux A, Cochet N: High-level expression of the ice-nucleating activity of *Pseudomonas syringae* in relation to its growth characteristics 116

Bock M, Kämpfer P, Bosecker K, Dott W: Isolation and characterization of heterotrophic, aerobic bacteria from oil storage caverns in northern Germany 463

Bolobova AV, Zhukov AV, Klyosov AA: Lipids and fatty acids in cellulosomes of *Clostridium thermocellum* 128

Bouhallab S, Henry G: Enzymatic hydrolysis of sodium caseinate in a continuous ultrafiltration reactor using an inorganic membrane 692

Brink DE, Vance I, White DC: Detection of *Desulfobacter* in oil field environments by non-radioactive DNA probes 469

Brunsbach FR, Reineke W: Degradation of chlorobenzenes in soil slurry by a specialized organism 415

Brurberg MB, Haandrikman AJ, Leenhouts KJ, Venema G, Nes IF: Expression of a chitinase gene from *Serratia marcescens* in *Lactococcus lactis* and *Lactobacillus plantarum* 108

Canganella F, Andrade CM, Antranikian G: Characterization of amylolytic and pullulytic enzymes from thermophilic archaea and from a new *Fervidobacterium* species 239

Cañizares-Villanueva RO, Ramos A, Lemus R, Gomez-Lojero C, Travieso L: Growth of *Phormidium* sp. in aerobic secondary piggery waste-water 487

Capucho I, San Romão MV: Effect of ethanol and fatty acids on malolactic activity of *Leuconostoc oenos* 391

Choi E-S, Sohn J-H, Rhee S-K: Optimization of the expression system using galactose-inducible promoter for the production of anticoagulant hirudin in *Saccharomyces cerevisiae* 587

Choquet CG, Patel GB, Beveridge TJ, Sprott GD: Stability of pressure-extruded liposomes made from archaeobacterial ether lipids 375

Christov LP, Prior BA: Enzymatic prebleaching of sulphite pulps 492

Corchero JL, Carbonell X, Benito A, Villaverde A: Mitomycin C stimulates thermally induced rcombinant gene expression in *Escherichia coli* MC strains 890

Degelau A, Scheper T, Bailey JE, Guske C: Fluorometric measurement of poly-β hydroxybutyrate in *Alcaligenes eutrophus* by flow cytometry and spectrofluorometry 653

De Vuyst L, Vermeire A: Use of industrial medium components for xanthan production by *Xanthomonas campestris* NRRL-B-1459 187

De Wever H, Verachtert H: 2-Mercaptobenzothiazole degradation in laboratory fed-batch systems 623

De Wever H, De Moor K, Verachtert H: Toxicity of 2-mercaptobenzothiazole towards bacterial growth and respiration 631

Dézenclos T, Ascon-Cabrera M, Ascon D, Lebeault J-M, Pauss A: Optimisation of the indirect impedancemetry technique; a handy technique for microbial growth measurement 232

Donald KAG, Carle A, Gibbs MD, Bergquist PL: Production of a bacterial thermophilic xylanase in *Saccharomyces cerevisiae* 309

Dong X, Cheng G, Stams AJM: Butyrate oxidation by *Syntrophospora bryantii* in co-culture with different methanogens and in pure culture with pentenoate as electron acceptor 647

Dupuis C, Corre C, Boyaval P: Proteinase activity of dairy *Propionibacterium* 750

El Abbadi N, Druet D, Comeau LC: Immunocytochemical identification and localization of lipase in cells of the mycelium of *Penicillium cyclopium* variety 923

Erdmann A, Weil B, Krämer R: Lysine secretion by *Corynebacterium glutamicum* wild type: regulation of secretion carrier activity 604

Eriksen SH, Jensen B, Schneider I, Kaasgaard S, Olsen J: Uptake of phenoxyacetic acid by *Penicillium chrysogenum* 945

Ernst C, Rehm H-J: Utilization of chlorinated *s*-triazines by a new strain of *Klebsiella pneumoniae* 763

Fernández-Espinar M, Piñaga F, Graaff L de, Visser J, Ramón D, Vallés S: Purification, characterization and regulation of the synthesis of an *Aspergillus nidulans* acidic xylanase 555

Fischer L, Wagner SA, Tacke R: Preparation of enantiomerically pure *(R)*-(1-hydroxymethyl)dimethyl(phenyl)silane using resting cells of *Saccharomyces cerevisiae* (DHW S-3) as biocatalyst 671

Fitzpatrick R, O'Donohue M, Joy J, Heery DM, Dunican LK: Construction and characterization of *recA* mutant strains of *Corynebacterium glutamicum* and *Brevibacterium lactofermentum* 575

Fogarty WM, Bourke AC, Kelly CT, Doyle EM: A constitutive maltotetraose-producing amylase from *Pseudomonas* sp. IMD 353 198

CONTENTS OF VOLUME 42

No. 1 (pp 1–186) published October 1994
No. 2–3 (pp 187–498) published November 1994
No. 4 (pp 499–652) published December 1994
No. 5 (pp 653–812) published January 1995
No. 6 (pp 813–972) published March 1995

Andlid T, Larsson C, Liljenberg C, Marison I, Gustafsson L: Enthalpy content as a function of lipid accumulation in *Rhodotorula glutinis* 818

Andreoni V, Bernasconi S, Bestetti G: Biotransformation of ferulic acid and related compounds by mutant strains of *Pseudomonas fluorescens* 830

Bao W, Lymar E, Renganathan V: Optimization of cellobiose dehydrogenase and β-glucosidase production by cellulose-degrading cultures of *Phanerochaete chrysosporium* 642

Barclay CD, Farquhar GF, Legge RL: Biodegradation and sorption of polyaromatic hydrocarbons by *Phanerochaete chrysosporium* 958

Bauer R, Hirrlinger B, Layh N, Stolz A, Knackmuss H-J: Enantioselective hydrolysis of racemic 2-phenylpropionitrile and other *(R,S)-2-arylpropionitriles* by a new bacterial isolate, *Agrobacterium tumefaciens* strain d3 1

Bayer M, Günther H, Simon H: Purification and characterization of an (S)-3-hydroxycarboxylate oxidoreductase from *Clostridium tyrobutyricum* 40

Bayer M, Schulz M, Günther H, Simon H: Synthesis of *(S)*- and *(R)-3-hydroxy* acids using cells or purified *(S)-3-hydroxycarboxylate* oxidoreductase from *Clostridium tyrobutyricum* and the NADP(H) regeneration system of *Clostridium thermoaceticum* 543

Bengtsson L, Johansson B, Hackett TJ, McHale L, McHale AP: Studies on the biosorption of uranium by *Talaromyces emersonii CBS* 814.70 biomass 807

Benthin S, Villadsen J: Production of optically pure D-lactate by *Lactobacillus bulgaricus* and purification by crystallisation and liquid/liquid extraction 826

Biesterveld S, Scholten JCM, Zehnder AJB, Stams AJM: Influence of external electron acceptors and of CO and H_2 on the xylose metabolism of *Bacteroides xylanolyticus* X5-1 367

Blondeaux A, Cochet N: High-level expression of the ice-nucleating activity of *Pseudomonas syringae* in relation to its growth characteristics 116

Bock M, Kämpfer P, Bosecker K, Dott W: Isolation and characterization of heterotrophic, aerobic bacteria from oil storage caverns in northern Germany 463

Bolobova AV, Zhukov AV, Klyosov AA: Lipids and fatty acids in cellulosomes of *Clostridium thermocellum* 128

Bouhallab S, Henry G: Enzymatic hydrolysis of sodium caseinate in a continuous ultrafiltration reactor using an inorganic membrane 692

Brink DE, Vance I, White DC: Detection of *Desulfobacter* in oil field environments by non-radioactive DNA probes 469

Brunsbach FR, Reineke W: Degradation of chlorobenzenes in soil slurry by a specialized organism 415

Brurberg MB, Haandrikman AJ, Leenhouts KJ, Venema G, Nes IF: Expression of a chitinase gene from *Serratia marcescens* in *Lactococcus lactis* and *Lactobacillus plantarum* 108

Canganella F, Andrade CM, Antranikian G: Characterization of amylolytic and pullulytic enzymes from thermophilic archaea and from a new *Fervidobacterium* species 239

Cañizares-Villanueva RO, Ramos A, Lemus R, Gomez-Lojero C, Travieso L: Growth of *Phormidium* sp. in aerobic secondary piggery waste-water 487

Capucho I, San Romão MV: Effect of ethanol and fatty acids on malolactic activity of *Leuconostoc oenos* 391

Choi E-S, Sohn J-H, Rhee S-K: Optimization of the expression system using galactose-inducible promoter for the production of anticoagulant hirudin in *Saccharomyces cerevisiae* 587

Choquet CG, Patel GB, Beveridge TJ, Sprott GD: Stability of pressure-extruded liposomes made from archaeobacterial ether lipids 375

Christov LP, Prior BA: Enzymatic prebleaching of sulphite pulps 492

Corchero JL, Carbonell X, Benito A, Villaverde A: Mitomycin C stimulates thermally induced rcombinant gene expression in *Escherichia coli* MC strains 890

Degelau A, Scheper T, Bailey JE, Guske C: Fluorometric measurement of poly-β hydroxybutyrate in *Alcaligenes eutrophus* by flow cytometry and spectrofluorometry 653

De Vuyst L, Vermeire A: Use of industrial medium components for xanthan production by *Xanthomonas campestris* NRRL-B-1459 187

De Wever H, Verachtert H: 2-Mercaptobenzothiazole degradation in laboratory fed-batch systems 623

De Wever H, De Moor K, Verachtert H: Toxicity of 2-mercaptobenzothiazole towards bacterial growth and respiration 631

Dézenclos T, Ascon-Cabrera M, Ascon D, Lebeault J-M, Pauss A: Optimisation of the indirect impedancemetry technique; a handy technique for microbial growth measurement 232

Donald KAG, Carle A, Gibbs MD, Bergquist PL: Production of a bacterial thermophilic xylanase in *Saccharomyces cerevisiae* 309

Dong X, Cheng G, Stams AJM: Butyrate oxidation by *Syntrophospora bryantii* in co-culture with different methanogens and in pure culture with pentenoate as electron acceptor 647

Dupuis C, Corre C, Boyaval P: Proteinase activity of dairy *Propionibacterium* 750

El Abbadi N, Druet D, Comeau LC: Immunocytochemical identification and localization of lipase in cells of the mycelium of *Penicillium cyclopium* variety 923

Erdmann A, Weil B, Krämer R: Lysine secretion by *Corynebacterium glutamicum* wild type: regulation of secretion carrier activity 604

Eriksen SH, Jensen B, Schneider I, Kaasgaard S, Olsen J: Uptake of phenoxyacetic acid by *Penicillium chrysogenum* 945

Ernst C, Rehm H-J: Utilization of chlorinated *s*-triazines by a new strain of *Klebsiella pneumoniae* 763

Fernández-Espinar M, Piñaga F, Graaff L de, Visser J, Ramón D, Vallés S: Purification, characterization and regulation of the synthesis of an *Aspergillus nidulans* acidic xylanase 555

Fischer L, Wagner SA, Tacke R: Preparation of enantiomerically pure *(R)*-(1-hydroxymethyl)dimethyl(phenyl)silane using resting cells of *Saccharomyces cerevisiae* (DHW S-3) as biocatalyst 671

Fitzpatrick R, O'Donohue M, Joy J, Heery DM, Dunican LK: Construction and characterization of *recA* mutant strains of *Corynebacterium glutamicum* and *Brevibacterium lactofermentum* 575

Fogarty WM, Bourke AC, Kelly CT, Doyle EM: A constitutive maltotetraose-producing amylase from *Pseudomonas* sp. IMD 353 198

Fonseca MJV, Said S: The Pectinase produced by *Tubercularia vulgaris* in submerged culture using pectin or orange-pulp pellets as inducer 32
Fradette S, Rho D, Samson R, LeDuy A: Microcalorimetry as a diagnostic and analytical tool for the assessment of biodegradation of 2,4-D in a liquid medium and in soil 432
Freitas dos Santos LM, Livingston AG: Extraction and biodegradation of a toxic volatile organic compound (1,2-dichloroethane) from waste-water in a membrane bioreactor 421
Fulthorpe RR, Allen DG: A comparison of organochlorine removal from bleached kraft pulp and paper-mill effluents by dehalogenating *Pseudomonas, Ancylobacter* and *Methylobacterium* strains 782
Gallert C, Winter J: Anaerobic degradation of 4-hydroxybenzoate: reductive dehydroxylation of 4-hydrobenzoyl-CoA and ATP formation during 4-hydroxybenzoate decarboxylation by the phenol-metabolizing bacteria of a stable, strictly anaerobic consortium 408
Galvin NM, Kelly CT, Fogarty WM: Purification and properties of the cyclodextrinase of *Bacillus sphaericus* ATCC 7055 46
Garzillo AMV, Di Paolo S, Ruzzi M, Buonocore V: Hydrolytic properties of extracellular cellulases from *Pleurotus ostreatus* 476
Geerlof A, Stoorvogel J, Jongejan JA, Leenen EJTM, Dooren TJGM van, Tweel WJJ van den, Duine JA: Studies on the production of (*S*)-(+)-solketal (2,2-dimethyl-1,3-dioxolane-4-methanol) by enantioselective oxidation of racemic solketal with *Comamonas testosteroni* 8
Gobbetti M, Corsetti A, Rossi J: Maltose-fructose co-fermentation by *Lactobacillus brevis* subsp. *lindneri* CB1 fructose-negative strain 939
Guyot J-P, Ramirez F, Ollivier B: Synergistic degradation of acetamide by methanogens and an aerobic Gram-positive rod 452
Habibi-Najafi MB, Lee BH: Purification and characterization of X-prolyl dipeptidyl peptidase from *Lactobacillus casei* subsp. *casei* LLG 280
Hagihara T, Fujio T, Aisaka K: Cloning of FAD synthetase gene from *Corynebacterium ammoniagenes* and its application to FAD and FMN production 724
Hahm DH, Pan J, Rhee JS: Characterization and evaluation of a *pta* (phosphotransacetylase) negative mutant of *Escherichia coli* HBT101 as production host of foreign lipase 100
Hallborn J, Gorwa M-F, Meinander N, Penttilä M, Keränen S, Hahn-Hägerdal B: The influence of cosubstrate and aeration on xylitol formation by recombinant *Saccharomyces cerevisiae* expressing the *XYL1* gene 326
Haltrich D, Laussamayer B, Steiner W: Xylanase formation by *Sclerotium rolfsii*: effect of growth substrates and development of a culture medium using statistically designed experiments 522
Henriksson G, Ander P, Pettersson B, Pettersson G: Cellobiose dehydrogenase (cellobiose oxidase) from *Phanerochaete chrysosporium* as a wood-degrading enzyme. Studies on cellulose, xylan and synthetic lignin 790
Hensing M, Vrouwenvelder H, Hellinga C, Baartmans R, Dijken H van: Production of extracellular inulinase in high-cell-density fed-batch cultures of *Kluyveromyces marxianus* 516
Hinfray C, Jouenne T, Mignot L, Junter G-A: Influence of the oxygenation level on D-xylose fermentation by free and agar-entrapped cultures of *Candida shehatae* 682
Hollander JA de: Potential metabolic limitations in lysine production by *Corynebacterium glutamicum* as revealed by metabolic network analysis 508
Hommel RK, Stegner S, Weber L, Kleber H-P: Effect of ammonium ions on glycolipid production by *Candida (Torulopsis) apicola* 192
Iversen JJL, Thomsen JK, Cox RP: On-line growth measurements in bioreactors by titrating metabolic proton exchange 256
Iwasaki Y, Nakano H, Yamane T: Phospholipase D from *Streptomyces antibioticus:* cloning, sequencing, expression, and relationship to other phospholipases 290
Janse BJH, Pretorius IS: One-step enzymatic hydrolysis of starch using a recombinant strain of *Saccharomyces cerevisiae* producing α-amylase, glucoamylase and pullulanase 878
Kahlos K, Tikka VH: Antifungal activity of cysteine, its effect on C-21 oxygenated lanosterol derivatives and other lipids in *Inonotus obliquus,* in vitro 385
Kamimura N, Hidaka M, Masaki H, Uozumi T: Construction of squalene-accumulating *Saccharomyces cerevisiae* mutants by gene disruption through homologous recombination 353
Katoh S, Terashima M: Purification of secreted α-amylases by immunoaffinity chromatography with cross-reactive antibody 36
Kavanagh K, Whittaker PA: Application of the Melle-Boinot process to the fermentation of xylose by *Pachysolen tannophilus* 28
Kirk N, Piper PW: Growth rate influences MFα1 promoter activity in MATα *Saccharomyces cerevisiae* 340
Kong I-C, Hubbard JS, Jones WJ: Metal-induced inhibition of anaerobic metabolism of volatile fatty acids and hydrogen 396
Kong S, Johnstone DL, Yonge DR, Petersen JN, Brouns TM: Longterm intracellular chromium partitioning with subsurface bacteria 403
Konopka A: Anaerobic degradation of chloroacetanilide herbicides 440
Kotterman MJJ, Heessels E, Jong E de, Field JA: The physiology of anthracene biodegradation by the white-rot fungus *Bjerkandera* sp. strain BOS55 179
Krieg F, Wolf N: Enzymatic peptide synthesis by the recombinant proline-specific endopeptidase from *Flavobacterium meningosepticum* and its mutationally altered Cys-556 variant 844
Kristufek D, Zeilinger S, Kubicek CP: Regulation of β-xylosidase formation by xylose in *Trichoderma reesei* 713
Kroon AGM, Pomper MA, Ginkel CG van: Metabolism of dodecyldimethylamine by *Pseudomonas* MA3 134
Labare MP, Alexander M: Microbial cometabolism of sucralose, a chlorinated disaccharide, in environmental samples 173
LaPointe G, Leblanc D, Morin A: Use of a polymerase-chain-reaction-amplified DNA probe from *Pseudomonas putida* to detect D-hydantoinase-producing mircoorganisms by direct colony hybridization 895
Lee EY, Jendrossek D, Schirmer A, Choi CY, Steinbüchel A: Biosynthesis of copolyesters consisting of 3-hydroxybutyric acid and medium-chain-length 3-hydroxyalkanoic acids from 1,3-butanediol or from 3-hydroxybutyrate by *Pseudomonas* sp. A33 901
Lencki RW, Delaire M, Tecante A, Choplin L: Effect of ferric and cupric ions on the inactivation rate of dextransucrase 263
Lin L-L, Tsau M-R, Chu W-S: General characteristics of thermostable amylopullulanases and amylases from the alkalophilic *Bacillus* sp. TS-23 51
Liu S-C, Liu Y-X, Webster DA, Stark BC: Sequence of the region downstream of the *Vitreoscilla* hemoglobin gene: *vgb* is not part of a multigene operon 304
Loffhagen N, Härtig C, Babel W: The glucose dehydrogenase-mediated energization of *Acinetobacter calcoaceticus* as a tool for evaluating its susceptibility to, and defence against, hazardous chemicals 738
Louw ME, Reid SJ, James DM, Watson TG: Cloning and sequencing the *degS-degU* operon from an alkalophilic *Bacillus brevis* 78
Marechal PA, Gervais P: Yeast viability related to water potential variation: influence of the transient phase 617
Marvin-Sikkema FD, Bont JAM de: Degradation of nitroaromatic compounds by microorganisms 499

Mehta BJ, Cerdá-Olmedo E: Mutants of carotene production in *Blakeslea trispora* (Short contribution) 836
Meinander N, Hahn-Hägerdal B, Linko M, Linko P, Ojamo H: Fedbatch xylitol production with recombinant *XYL*-1-expressing *Saccharomyces cerevisiae* using ethanol as a co-substrate 334
Meinhardt F, Holtwick R: Generation of a stable non-reverting Leu$^-$ mutant of *Kluyveromyces lactis* by gene disruption (Short contribution) 734
Menne S, Walz M, Kück U: Expression studies with the bidirectional *pcbAB-pcbC* promoter region from *Acremonium chrysogenum* using reporter gene fusions 57
Metzger MH, Hollenberg CP: Isolation and characterization of the *Pichia stipitis* transketolase gene and expression in a xylose-utilising *Saccharomyces cerevisiae* transformant 319
Mitsuhashi S, Hosaka K, Tomonaga E, Muramatsu H, Tanishita K: Effects of shear flow on photosynthesis in a dilute suspension of microalgae 744
Mitsuoka K, Honda H, Xing X-H, Unno H: Effect of intracellular 2,4-D concentration on plantlet regeneration of rice (*Oryza sativa* L.) callus 364
Molina Grima E, Sánchez Pérez JA, García Camacho F, Fernández Sevilla JM, Acién Fernández FG, Urda Cardona J: Biomass and icosapentaenoic acid productivities from an outdoor batch culture of *Phaeodactylum tricornutum* UTEX 640 in an airlift tubular photobioreactor 658
Morikawa M, Daido H, Pongpobpibool S, Imanaka T: Construction of a new host-vector system in *Arthrobacter* sp. and cloning of the lipase gene 300
Motoyama H, Ishino S, Anazawa H, Teshiba S: Effects of the amplification of the genes coding for the L-threonine biosynthetic enzymes on the L-threonine production from methanol by a gram-negative obligate methylotroph, *Methylobacillus glycogenes* 67
Müller RH, Babel W: Phenol and its derivatives as heterotrophic substrates for microbial growth – an energetic comparison 446
Nakajima M, von Numers C, Yada H, Siimes T, Pokkinen M, Endo I, Linko P: An one-line advisory control system for the lactic acid fermentation process 204
Nomura N, Yamada H, Matsubara N, Horinouchi S, Beppu T: Secretion by *Saccharomyces cerevisiae* of rat apolipoprotein E as a fusion to *Mucor* rennin 865
Ohta T, Ogbonna JC, Tanaka H, Yajima M: Development of a fermentation method using immobilized cells under unsterile conditions. 2. Ethanol and L-lactic acid production without heat and filter sterilization 246
Okamoto T, Yamano S, Ikeaga H, Nakamura K: Cloning of the *Acetobacter xylinum* cellulase gene and its expression in *Escherichia coli* and *Zymomonas mobilis* 563
Oswald T, Wende W, Pingoud A, Rinas U: Comparison of N-terminal affinity fusion domains: effect on expression level and product heterogeneity of recombinant restriction endonuclease *Eco*RV 73
Paik H-D, Glatz BA: Propionic acid production by immobilized cells of a propionate-tolerant strain of *Propionibacterium acidipropionici* 22
Peguin S, Goma G, Delorme P, Soucaille P: Metabolic flexibility of *Clostridium acetobutylicum* in response to methyl viologen addition 611
Poncelet D, Bugarski B, Amsden BG, Zhu J, Neufeld R, Goosen MFA: A Parallel plate electrostatic droplet generator: parameters affecting microbead size 251
Ponce-Noyola T, de la Torre M: Isolation of a high-specific-growth-rate mutant of *Cellulomonas flavigena* on sugar cane bagasse 709
Puhakka JA, Herwig RP, Koro PM, Wolf GV, Ferguson JF: Biodegradation of chlorophenols by mixed and pure cultures from a fluidized-bed reactor 951
Quesada-Chanto A, Afschar AS, Wagner F: Optimization of a *Propionibacterium acidipropionici* continuous culture utilizing sucrose 16
Rajendran L, Suvarnalatha G, Ravishankar GA, Venkataraman LV: Enhancement of anthocyanin production in callus cultures of *Daucus carota* L. under the influence of fungal elicitors 227
Ralph JP, Catcheside DEA: Decolourisation and depolymerisation of solubilised low-rank coal by the white-rot basidiomycete *Phanerochaete chrysosporium* 536
Randez-Gil F, Sanz P: Construction of industrial baker's yeast strains able to assimilate maltose under catabolite repression conditions 581
Rank M, Gram J, Stern Nielsen K, Danielsson B: On-line monitoring of ethanol, acetaldehyde and glycerol during industrial fermentations with *Saccharomyces cerevisiae* 813
Reeslev M, Jensen B: Influence of Zn^{2+} and Fe^{3+} on polysaccharide production and mycelium/yeast dimorphism of *Aureobasidium pullulans* in batch cultivations 910
Roussos S, de los Angeles Aquiáhuatl M, del Refugio Trejo-Hernández M, Gaime Perraud I, Favela E, Ramakrishna M, Raimbault M, Viniegra-González G: Biotechnological management of coffee pulp – isolation, screening, characterization, selection of caffeine-degrading fungi and natural microflora present in coffee pulp and husk 756
Rugsaseel S, Morikawa S, Kirimura K, Usami S: Stimulation of citric acid production in *Aspergillus niger* by addition of viscous substances in shake culture (Short contribution) 839
Sagiya Y, Yamagata H, Udaka S: Direct high-level secretion into the culture medium of tuna growth hormone in biologically active form by *Bacillus brevis* 358
Sakai Y, Rogi T, Takeuchi R, Kato N, Tani Y: Expression of *Saccharomyces* adenylate kinase gene in *Candida boidinii* under the regulation of its alcohol oxidase promoter 860
Sakamoto S, Terada I, Iijima M, Matsuzawa H, Ohta T: Fermentation conditions for efficient production of thermophilic protease in *Escherichia coli* harboring a plasmid 569
Scherrer S, Robas N, Zouheiry H, Branlant G, Branlant C: Periplasmic aggregation limits the proteolytic maturation of the *Escherichia coli* Penicillin G amidase precursor polypeptide 85
Schmidt JE, Ahring BK: Extracellular polymers in granular sludge from different upflow anaerobic sludge blanket (UASB) reactors 457
Schulz M, Leichmann H, Günther H, Simon H: Electromicrobial regeneration of pyridine nucleotides and other preparative redox tansformations with *Clostridium thermoaceticum* 916
Schweder T, Hofmann K, Hecker M: *Escherichia coli* K12 *relA* strains as safe hosts for expression of recombinant DNA 718
Schyns PJYMJ, Frankrijker J de, Zehnder AJB, Stams AJM: Production, purification and characterization of an α-L-arabinofuranosidase from *Bacteroides xylanolyticus* X5-1 548
Shiomi N, Fukuda H, Murata K, Kimura A: Improvement of *S*-adenosylmethionine production by integration of the ethionine-resistance gene into chromosomes of the yeast *Saccharomyces cerevisiae* (Short contribution) 730
Sjöberg A, Persson I, Quednau M, Hahn-Hägerdal B: The influence of limiting and non-limiting growth conditions on glucose and maltose metabolism in *Lactococcus lactis* ssp. *lactis* strains 931
Solomon BO, Zeng A-P, Biebl H, Ejiofor AO, Posten C, Deckwer WD: Effects of substrate limitation on product distribution and H_2/CO_2 ratio in *Klebsiella pneumoniae* during anaerobic fermentation of Glycerol 222
Somerville Jr. JE, Goshorn SC, Fell HP, Darveau RP: Bacterial aspects associated with the expression of a single-chain antibody fragment in *Escherichia coli* 595
Sonezaki S, Kondo A, Oba T, Ishii Y, Kato Y, Nakayama H: Overproduction and purification of Lon protease from *Escherichia coli* using a maltose-binding protein fusion system 313

Spinnler H-E, de Jong E, Mauvais G, Semon E, le Quere J-L: Production of halogenated compounds by *Bjerkandera adusta* 212
Stahmann K-P, Kupp C, Feldmann SD, Sahm H: Formation and degradation of lipid bodies found in the riboflavin-producing fungus *Ashbya gossypii* 121
Stucki G, Thüer M: Increased removal capacity for 1,2-dichloroethane by biological modification of the granular activated carbon process 167
Suzuki T, Kasai N, Yamamoto R, Minamiura N: A novel enzymatic dehalogenation of (*R*)-3-chloro-1,2-propanediol in *Alcaligenes* sp. DS-S-7G 270
Tarre S, Green M: Precipitation potential as a major factor in the formation of granular sludge in an upflow sludge-blanket reactor for denitrification of drinking water 482
Tiehm A, Fritzsche C: Utilization of solubilized and crystalline mixtures of polycyclic aromatic hydrocarbons by a *Mycobacterium* sp. 964
Tokuyama S, Hatano K: Purification and properties of thermostable *N*-acylamino acid racemase from *Amycolatopsis* sp. TS-1-60 853
Tokuyama S, Hatano K: Cloning, DNA sequencing and heterologous expression of the gene for thermostable *N*-acylamino acid racemase from *Amycolatopsis* sp. TS-1-60 in *Escherichia coli* 884
Vazquez-Duhalt R, Westlake DWS, Fedorak PM: Kinetics of chemically modified lignin peroxidase and enzymatic oxidation of aromatic nitrogen-containing compounds 675
Volesky B, May-Phillips HA: Biosorption of heavy metals by *Saccharomyces cerevisiae* 797
Waarde JJ van der, Kok R, Janssen DB: Cometabolic degradation of chloroallyl alcohols in batch and continuous cultures 158
Wang WK, Kruus K, Wu JHD: Cloning and expression of the *Clostridium thermocellum celS* gene in *Escherichia coli* 346
Weckhuysen B, Vriens L, Verachtert H: Biotreatment of ammonia- and butanal-containing waste gases 147
Weijers CAGM, Jongejan H, Franssen MCR, de Groot A, de Bont JAM: Dithiol- and NAD-dependent degradation of epoxyalkanes by *Xanthobacter* Py2 775
Wijffels RH, Schepers AW, Smit M, Gooijer CD de, Tramper J: Effect of initial biomass concentration on the growth of immobilized *Nitrosomonas europaea* 153
Willaert RG, Baron GV: The dynamic behaviour of yeast cells immobilised in porous glass studied by membrane mass spectrometry 664
Wittchen K-D, Meinhardt F: Inactivation of the major extracellular protease from *Bacillus megaterium* DSM319 by gene replacement 871
Wu D, Federici BA: Improved production of the insecticidal CrylVD protein in *Bacillus thuringiensis* using *cryIA(c)* promoters to express the gene for an associated 20-kDa protein 697
Wunder T, Kremer S, Sterner O, Anke H: Metabolism of the polycyclic aromatic hydrocarbon pyrene by *Aspergillus niger* SK 9317 636
Yabuta M, Suzuki Y, Ohsuye K: High expression of a recombinant human calcitonin precursor peptide in *Escherichia coli* 703
Yamagata S, Isaji M, Nakamura K, Fujisaki S, Doi K, Bawden S, D'Andrea R: Overexpression of the Saccharomyces cerevisiae MET17/MET25 gene in Escherichia coli and comparative characterization of the product with *O*-acetylserine *O*-acetylhomoserine sulfhydrylase of the yeast 92
Yamaji H, Fukuda H: Growth kinetics of animal cells immobilized within porous support particles in a perfusion culture 531
Yokoigawa K, Sato E, Esaki N, Soda K: Enantioselective synthesis of *N*-acetyl-L-methionine with aminoacylase in organic solvent (Short contribution) 287
Yu P, Welander T: Growth of an aerobic bacterium with trichloroacetic acid as the sole source of energy and carbon 769
Zeng A-P: Effect of CO_2 absorption on the measurement of CO_2 evolution rate in aerobic and anaerobic continuous cultures 688
Zumbusch P v., Meyer-Jens T, Brunner G, Märkl H: On-line monitoring of organic substances with high-pressure liquid chromatography (HPLC) during the anaerobic fermentation of waste-water 140